

A modern interior space featuring glass partitions and decorative wall panels. The scene is dimly lit with a teal color cast. In the foreground, a dark sofa with patterned cushions is visible. Behind a glass partition, another sofa is seen, with a person lying on it. The wall behind the sofa is covered in a decorative panel with a geometric pattern. To the right, a vertical wall is covered in a dense arrangement of various plants, creating a living wall effect. The overall atmosphere is contemporary and sophisticated.

LÀMINES DE PROTECCIÓ I DECORATIVES





*A WORLD
OF DETAILS*



TABLE OF CONTENTS

	DECORATIONS	P.3 - P.28
	COLORS	P.29 - P.34
	STATIC	P.35 - P.38
	HOMESTAGING	P.39 - P.40
	SUN PROTECTION	P.41 - P.54
	SÉCURITY	P.55 - P.66
	MIRRORS	P.67 - P.70
	INNOVATIVE	P.71 - P.74
	AUTOMOBILES	P.75 - P.78




DECORATION

FROSTED SOLID FILMS

INDOOR INSTALLATION

Our solid frosted films, available in various levels of opacity and sizes, are perfect for decorating your glass surfaces while creating privacy zones tailored to your needs.



INT 456

Very light
greyish

INT 356

To combine with
frosted decorative
films

INT 256

Slightly acid

INT 200

Very Opaque
White Frosted

INT 209

Very Opaque White
Frosted 2.10m

INT 280

Opaque White
Frosted

INT 401

Slightly Grey
Frosted

INT 411

Grey Frosted



INT 200

**WHITE FROSTED
- PRIVACY BLOCKING**

47 microns - PET
Indoor Installation



INT 456

**CLEAR FROSTED
- PARTIALLY BLOCKS VIEW**

100 microns - PVC
Indoor and Outdoor Installation



INT 280

**WHITE FROSTED
- BLOCKS VIEW**


80 microns - PVC
Indoor and Outdoor Installation



INT 356

**CLEAR FROSTED
- BLOCKS VIEW**


35 microns - PET
Indoor Installation



INT 209

**WHITE FROSTED 2.10M
- BLOCKS VIEW**


55 microns - PET
Indoor Installation




INT 383

**OPAQUE WHITE
- BLOCKS VIEW**

30 microns - PET
Indoor Installation





INT 756

**FROSTED
- PARTIALLY BLOCKS VIEW**

100 microns - PVC Polymer
Indoor and Outdoor Installation



INT 401

**GREY FROSTED
- PARTIALLY BLOCKS VIEW**

100 microns - PVC
Indoor and Outdoor Installation
Also available in 1.22 m height.



INT 256

**CLEAR FROSTED
- PARTIALLY BLOCKS VIEW**

*On glass not exposed to sunlight

100 microns - PVC
Indoor & Outdoor Installation



INT 856

**FROSTED BROSSÉD
- PARTIALLY HIDDEN FROM VIEW**

80 microns - PET
Interior & exterior installation
Also available in 1.22 m height.

Also available
in blue



INT 404

**GREEN FROSTED
- PARTIALLY BLOCKS VIEW**

100 microns - PVC
Indoor and Outdoor Installation
Also available in 1.22 m height.



INT 411

**GREY FROSTED
- PARTIALLY HIDES THE VIEW**

100 microns - PVC
Indoor and outdoor installation
Also available in 1.22 m height.



DECORATION RANGE

STRIED FILMS

Réfectiv offers you its ribbed films, which modify the view and lighting effects.

They create a raised glass effect glass effect, while providing a degree of privacy privacy, depending on the model chosen.



STR 01



STR 02



STR 04

**STRIATED FILM - PARTIALLY
HIDDEN FROM VIEW**
80 microns - PET
Interior installation



STR 05



STR 09



STR 10



STR 06



STR 07



STR 08

DECORATION RANGE

DEGRESSIVE WHITE / FROSTED / METALLIC

The degressive films shown are available
in white and frosted versions.


INT 129

INT 139


Full : 90 cm

Full : 145 cm


INT 129 / INT 139
WHITE SLIDING SCALE
CACHE LA VUE
55 microns - PET
Indoor installation
2,10 m



INT 120



INT 122



INT 128

EFFET MIROIR



INT 120 / INT 122
WHITE SLIDING SCALE
FROSTED GRADIENT
HIDE VIEW
PET
Indoor installation

INT 130 / INT 132
DEGRESSIVE WHITE /
DEPRESSIVE POLISHED
HIDES THE VIEW
PET
Indoor installation

INT 128 / INT 138
METALLIC DEGRESSIVE
MIRROR
HIDES THE VIEW
50 microns - PET Crystal
Indoor installation



INT 130



INT 132



INT 138

EFFET MIROIR





INT 110

INT 115

INT 123

INT 124


Full : 60 cm

Full : 60 cm

Full : 20 cm

Full : 20 cm


DEGRESSIVE WHITE
DEPRESSIVE
POLISHED- HIDE VIEW
PET
Indoor installation



INT 126



Full : 75 cm



INT 127




Full : 75 cm



INT 142




Full : 100 cm



INT 140



Full : 100 cm



INT 147



Full : 130 cm

DEGRESSIVE WHITE
DEPRESSIVE POLISHED
HIDE VIEW
PET
Indoor installation




ORA 020

PIN 020

BLU 020


GRE 020



45.5 cm

61 cm


45.5 cm



45.5 cm

61 cm


45.5 cm



45.5 cm

61 cm

45.5 cm



45.5 cm

61 cm

45.5 cm



DEGRESSIVE COLORS

NEW

COLOR DEGRESSIVE
HIDE VIEW
55 microns - PET
Indoor installation
1,52 m



ORA 030

PIN 030

BLU 030

GRE 030

114 cm

114 cm

114 cm

114 cm

38 cm

38 cm


38 cm

38 cm



**COLOR DEGRESSIVE
HIDE VIEW**

55 microns - PET
Indoor installation
1,52 m



INT 234



INT 236



INT 237



INT 560



INT 860



INT 880



INT 270



INT 276



INT 212



INT 213



INT 220



INT 230



INT 244



INT 245



INT 250



INT 420



INT 435



INT 570



INT 610




DECORATION RANGE



BLACKOUT PATTERNS WHITE / FROSTED

Our blackout patterned films allow you to partially block vision while dressing up your windows.


The patterns offer different degrees of privacy, from intimate to airy.



INT 520




INT 288




INT 300


INT 320



INT 333








INT 363




INT 290







INT 538



INT 540



INT 780



NEW
INT 390



NEW
INT 389



INT 864



INT 512



INT 486



INT 478



INT 510



INT 348

Silver/mirror dots




INT 343

White dots



INT 150



INT 490

INT 528



INT 353



INT 792



INT 500







INT 861



INT 606



INT 710





INT 549



INT 496



NEW
HGF 01





INT 539

DECORATION RANGE

REASON NATURE DEPOLISH

Reflectiv offers a range of natural films to personalize your glazing to suit your needs.

INT 530



INT 532





INT 535



INT 537



INT 539



INT 534



INT 536




Can be combined with
color films

DECORATION RANGE


REASONS GEOMETRIC

Our geometrically patterned self-adhesive films add a modern, elegant touch to any space. Whether for decorative use or to demarcate areas, these clean-lined designs add structure and style. Easy to install, they can transform your interior in the blink of an eye.

INT 782



NEW
INT 789



INT 380



INT 770



— **PARIS** TWY100

— **LONDRES** TWY150

— **NEW-YORK** TWY200

— **ITALIE** TWY160

— **SAVANE** TWY300

— **ALLEMAGNE** TWY130

— **ESPAGNE** TWY120

— **CHINE** TWY280

— **INDE** TWY400

— **TURQUIE** TWY450

— **RUSSIE** TWY800

— **DUBAÏ** TWY600

ADD A MODERN & ORIGINAL FINISH

INDOOR INSTALLATION

Complement and enhance all your decorative frosted films

THE +

You can also use our decorative friezes in the form of display strips.

FILMS COLORS

Reflectiv offers 16 shades to dress up your glazing, while maintaining transparency and luminosity. Change the look of your rooms or offices in the blink of an eye.





FILMS COLORS

TRANSPARENT

INDOOR INSTALLATION

For façade installation, please refer to the DTU 39 standard. Please do not hesitate to contact us.

* Non-contractual photo



Plum 61276	Violet 60487	Lilac 67047	Ocean blue 60685	Azure blue 61185	Turquoise blue 63545	Spring green 60214	Mint green 60894	Yellow 61011	Orange 61052	Pink 60366	Fuchsia 60026	Raspberry 61133	Vermilion red 60193	Brown 60259	Black 60210
---------------	-----------------	----------------	---------------------	---------------------	-------------------------	-----------------------	---------------------	-----------------	-----------------	---------------	------------------	--------------------	------------------------	----------------	----------------



INT 817



BLACK OUT MAT

75 microns - PET
Blocks 100% of light
Indoor installation




INT 803



WHITE OUT GLOSSY

75 microns - PET
Blocks 97% of light
Indoor installation

INT 807



BLACK OUT GLOSSY

75 microns - PET
Blocks 100% of light
Indoor installation

GOOD TO KNOW :

INT 817 / INT 803 / INT 807


PPMS (Plan Particulier de Mise en Sécurité) compatible. The PPMS law is a compulsory process for all educational establishments: schools, collèges, lycées or or specialized establishments. It provides against major risks that may arise within your establishment.




FILMS

DICHROIC

INDOOR INSTALLATION





IRS 226



IRIDESCENT
75 microns - PET
Rainbow highlights


DCH 426



DICHROIC
55 microns - PET
Color reflections - Blue / Red
Reflective




DCH 326



DICHROIC
55 microns - PET
Reflective colors - Yellow / Violet
Reflective



DCH 427



DICHROIC


55 microns - PET

Color reflections - Blue / Red

Reflective

Glue-free installation

DCH 327



DICHROIC

55 microns - PET

Reflective colors - Yellow / Violet

Reflective

Glue-free installation

STATICS

FROSTED / RELIEF


INTERIOR INSTALLATION

Our range of static films allows you to decorate your windows and change the look easily and whenever you want.





STC 160



STC 190




STC 370



STC 340




STC 220



STC 250




STC 310



STC 400



STC 280



STC 430





STC 550



STC 530



STC 510



STC 520



STC 590



STC 570



STC 560



STC 540



STC 580

HOME STAGING NATURAL STONES

Made from 100% natural stone with a 3D effect, our stone films, harder and more resistant than slate tiles, will bring your interior back to life.

STN 284






STN 281



STN 282



STN 283



STN 284



STN 285




STN 286



STN 483



STN 491



STN 492



STN 493

STN 492



No sample possible

SUN PROTECTION INDOOR INSTALLATION

Our self-adhesive solar protection films can be adapted to all your glass surfaces, offering different filtration options to suit your needs. They reduce heat and glare, and protect your spaces while maintaining a bright, elegant look.





SOL 101



75 %
SUN PROTECTION
Silver metallic
70 microns - PET crystal

SOL 150



54 %
SUN PROTECTION
Silver metallic
70 microns - PET crystal

SOL 160



68 %
SUN PROTECTION
Silver metallic
70 microns - PET crystal

CAN BE INSTALLED ON :



SIMPLE
4 / 6 / 8 / 10 mm



SOAKED



DOUBLE GLAZING
CLAIR < 1,20 M²

SUN PROTECTION | INDOOR INSTALLATION



SOL 111



82 %
SUN PROTECTION
Silver metallic sputter
85 microns - PET crystal



CAN BE INSTALLED ON :



SIMPLE
4 / 6 / 8 / 10 mm





SOAKED



DOUBLE GLAZING
CLAIR < 1,20 M²



SOL 158



**52 %
SUN PROTECTION**

Silver dots

55 microns - PET

ALL TYPES OF ECO-RESPONSIBLE GLAZING

SOL 251



**68 %
SUN PROTECTION**

Silver metallic

70 microns - PET crystal

IR 50



**54 %
SUN PROTECTION**

Silver metallic

70 microns - PET crystal

IR 80



**54 %
SUN PROTECTION**

Silver metallic

70 microns - PET crystal



ATH 101



61 %
SUN PROTECTION
Silver metallic
70 microns - PET crystal
ALL TYPES OF GLAZING
MICRO-PERFORATED
APPEARANCE




Eye icon with double-headed arrow
Vision at 1m



THE BENEFITS :

A major innovation, ATH 101 is the only metallized solar protection film in the world that can be installed indoors on any type of glazing. Its unique design enables it to break up light rays for stunning results.

- **Invisible from a distance of 1m**
- **Selective metallization**
- **Anti-glare**
- **No risk of overheating**
- **Compatible with all types of glazing**



Eye icon with double-headed arrow
Vision at 30cm



SOL 275



75 %
SUN PROTECTION + SAFETY

Silver metallic

115 microns - PET crystal

CAN BE INSTALLED ON:



SIMPLE

4 / 6 / 8 / 10 mm



SOAKED



DOUBLE GLAZING

CLAIR < 1,20 M²



SUN PROTECTION EXTERIOR INSTALLATION

Refer to DTU 39 mirror standards



SOL 102



79 %
SUN PROTECTION
Silver metallic
85 microns - PET crystal
ALL TYPES OF GLAZING

SOL 152



55 %
SUN PROTECTION
Silver metallic
85 microns - PET crystal
ALL TYPES OF GLAZING

SOL 162



71 %
SUN PROTECTION
Silver metallic
85 microns - PET crystal
ALL TYPES OF GLAZING

SOL 108



80%
SUN PROTECTION
Silver metallic
65 microns - PET crystal
ALL TYPES OF GLAZING



TO KNOW :

SOL 108 is the first exterior film to offer a 10-year warranty for vertical installation and a 5-year warranty for inclined installation. Highly recommended, its performance and durability make it an ideal choice for sloping roofs and glass surfaces.



Exterior view



Interior view



SOL 112



83 %
SUN PROTECTION
Silver metallic sputter
90 microns - PET crystal
ALL TYPES OF GLAZING

SOL 332



79 %
SUN PROTECTION
Metallic grey
90 microns - PET crystal
ALL TYPES OF ECO-RESPONSIBLE GLAZING



IR 50X



IR 70X



56 %

SUN PROTECTION

Extra-clear

80 microns - PET

ALL TYPES OF GLAZING



62 %

SUN PROTECTION

Extra-clear blue grey

90 microns - PET crystal

ALL TYPES OF GLAZING





IR 80X



71%
SUN PROTECTION
Extra-clear blue grey
70 microns - PET crystal
ALL TYPES OF GLAZING

IR 95X



52 %
PROTECTION SOLAIRE
Black metallic
70 microns - PET crystal
**ALL TYPES OF CLEAR GLAZING -
ECO-RESPONSIBLE**



UV PROTECTION INDOOR INSTALLATION

Our UV Protection adhesive films block UV rays while remaining transparent. Ideal for shop windows and professional spaces, they protect your surfaces and preserve your interiors from fading without altering natural light.



UVA 151



ABSORBS 99% OF ULTRAVIOLET A

Colorless

65 microns - PET crystal

UVB 460



ABSORBS ULTRAVIOLET A AND B RAYS

Nearly colorless*

40 microns - PET crystal





STC 900

SECURITY TEMPORARY PROTECTION

Our self-adhesive safety films reinforce your glass and windows, offering extra protection against impact and breakage. Ideal for professional or residential environments, they fortify your surfaces while preserving their original appearance.



STC 900



**TEMPORARY PROTECTION -
COLORLESS**

90 microns - PVC

ELECTROSTATIC REUSABLE

Protection against scratches, impact and dust temporarily

Interior & exterior dry installation

PTB 50



**TEMPORARY PROTECTION -
TRANSLUCENT BLUE - ELECTROSTATIC**

50 microns - PEBD

CONSTRUCTION SITE RISKS

Protection against scratches, dust and paint splashes

Interior & exterior installation

TEC 200



PROVISIONAL PROTECTION - COLORLESS

100 microns - PET

GLASS BREAKAGE

Secure before replacement. Dry application

- Euroclasses -

Interior & exterior installation





AGM 400

SECURITY

ANTI-GRAFFITIS

Our anti-graffiti adhesive films prevent paint from becoming embedded and make cleaning easier, protecting your surfaces from damage. Ideal for public spaces, they preserve aesthetics while simplifying maintenance.



X4

ANTI-GRAFFITIS - COLORLESS

400 microns - PVC

MULTICOUCH

4 USES FOR 1 INSTALLATION

- Euroclasses -
Interior & exterior installation



AGR 100



ANTI-GRAFFITIS - COLORLESS

100 microns - PET

REPOSITIONABLE

PROTECTION AGAINST URBAN VANDALISM

- Euroclasses -

Indoor & outdoor installation

AGI 50



ANTI-GRAFFITI / SCRATCHES / ACIDS - COLORLESS

50 microns - PET

PROTECTION AGAINST URBAN VANDALISM

- Euroclasses -

Indoor & outdoor installation

AGI 100



ANTI-GRAFFITI / SCRATCHES / ACIDS - COLORLESS

100 microns - PET

PROTECTION AGAINST URBAN VANDALISM

- Euroclasses -

Indoor & outdoor installation

AGI 200



ANTI-GRAFFITI / SCRATCHES / ACIDS - COLORLESS

200 microns - PET

PROTECTION AGAINST URBAN VANDALISM

- Euroclasses -

Indoor & outdoor installation

Self-healing version available Ref AGC200



SEC 058

STANDARDS EN 12600 - COLORLESS
200 microns - PET cristal
FOR GLAZING BELOW 3M2

SEC 054



NPF 78406 STANDARDS - COLORLESS
100 microns - PET cristal
FOR GLAZING BELOW 3M2

SEC 052



STANDARDS EUROCLASSES - COLORLESS
50 microns - PET cristal
FOR GLAZING BELOW 3M2

SECURITY

INDOOR INSTALLATION

GOOD TO KNOW :

SEC 058 / SEC 054 / SEC 052 /
SEC 058X / SEC 054X / SEC 052X

PPMS (Plan Particulier de Mise en Sécurité) compatible
The PPMS law is a compulsory process for all educational establishments: schools, collèges, lycées and specialized establishments. It enables you to protect yourself in the event of major risks occurring on your premises.



SEC 052X

EUROCLASSES STANDARDS - COLORLESS

50 microns - PET cristal

FOR GLAZING OVER 3M2

SEC 054X




NPF 78406 STANDARDS - COLORLESS

100 microns - PET cristal

FOR GLAZING OVER 3M2

SEC 058X



STANDARDS EN 12600 - COLORLESS

200 microns - PET cristal

FOR GLAZING OVER 3M2

SECURITY

OUTDOOR INSTALLATION





**SECURITY
HIGH
INTERIOR INSTALLATION**

TOP 300



NF EN 356 STANDARDS - COLORLESS
330 MICRONS - MULTILAYER PET
HIGH-SECURITY ANTI-INTRUSION-
Euroclasses -

 SPECIFIC APPLICATION
CLEAN WATER ONLY

TOP 300R



NF EN 1063 STANDARDS - COLORLESS
330 MICRONS - MULTILAYER PET
BULLETPROOF
- Euroclasses -
To be applied on 2 sides

 SPECIFIC APPLICATION
CLEAN WATER ONLY





**SECURITY
HIGH**
OUTDOOR INSTALLATION

TOP 300X



NF EN 356 STANDARDS - COLORLESS
330 MICRONS - MULTILAYER PET
ANTI-EXPLOSION, DELAYS INTRUSION

 SPECIFIC APPLICATION
CLEAN WATER ONLY

TOP 300XR



NF EN 1063 STANDARDS - COLORLESS
330 MICRONS - MULTILAYER PET
BULLETPROOF

 SPECIFIC APPLICATION
CLEAN WATER ONLY

AFG 100



**SAFETY AND ANTI-BLEED FILM -
COLORLESS**

100 microns - PET crystal
Indoor & outdoor installation

USE :

Motorcycle helmets, goggles, mirrors, bathrooms, changing rooms, swimming pools, cool-glazing, etc.

SECURITY

PROTECTION AND ANTI-FOGGING



DOS 060



**SECURES MIRRORS IN CASE OF
BREAKAGE - COLORLESS**

75 microns - PET

APPLIED TO THE BACK OF MIRRORS

THE ADVANTAGE:

Once the film has been applied to the back of your mirror, you can hang it on any surface (wall, wood, door, etc.) using your usual adhesives (double-sided / silicone glue etc.).




SECURITY

VISUAL RANGE

MANDATORY IN PUBLIC PLACES INDOOR INSTALLATION

These visualization films can be used to highlight partition glazing in public areas.

Legislation governing the Roads and Public Spaces sector. Order of August 1, 2006. Circular DGUHC 2007-53.





VISUAL 05



VISUAL 06



VISUAL 12



VISUAL 20



VISUAL 44




VISUAL 50




VISUAL 56




VISUAL 60



TWY 100



TWY 150



TWY 200





MIR 900


FILMS

ONE-WAY MIRRORS


Our one-way mirror adhesive films offer protection against prying eyes, giving your windows and windowshades a mirror-like effect. The Day & Night range guarantees optimum interior brightness, while preserving your privacy from the outside.



MIR 500



MIR 500X



MIR 500

MIR 501*

MIR 502*

MIR 503*

MIR 504*

MIR 505*

ONE-WAY MIRROR

Silver / Gold / Red / Blue / Green / Bronze

60 microns - PET crystal

Interior installation

* on glazing not exposed to the sun




ONE-WAY MIRROR - SILVER

80 microns - PET crystal

Outdoor installation

THE +

CAN BE INSTALLED ON :



MIR 900



PERFECT MIRROR EFFECT

TOTAL MIRROR 100% - SILVER
60 microns - PET crystal
Interior installation

Double-sided, scratch-resistant mirror.


MIX 551



ONE-WAY SAFETY MIRROR - SILVER
115 microns - PET crystal

REINFORCES GLAZING
Interior installation

MIR 200



DEPOLISHED MIRROR
90 microns - PET crystal
Interior installation

Frosted on the inside and mirrored on the outside

INT 128



INT 138



DEGRESSIVE METALLIC MIRROR
HIDES THE VIEW
50 microns - PET Crystal
Interior installation
INT 128 / INT 139
Return to page 9



MDN 500



DAY & NIGHT ONE-WAY MIRROR - SILVER / BLACK

60 microns - PET crystal

Interior installation

MDN 500X



DAY & NIGHT ONE-WAY MIRROR - SILVER / BLACK

60 microns - PEY crystal

Outdoor installation

Our new Day & Night range, thanks to its black color inside, allows you to protect yourself from prying eyes by extending the mirror effect after sunset.

Our one-way mirror films require a minimum level of brightness for optimal operation. Please contact our sales department to check the compatibility of your project if necessary.



INNOVATIVE FILMS

Our innovative self-adhesive films offer advanced solutions for modulating transparency, protecting against prying eyes and adapting to your specific needs. Ideal for preserving your privacy while maintaining a modern design





ELC 200

OFF



ELECTRICAL FILM CONTROLLED OPACITY

400 microns

Switching from opaque to transparent glazing is now possible thanks to our liquid crystal technology.

Interior installation

QUOTE BY PROJECT

Please contact us

Price excluding accessories (remote control, transformer, etc.)




ON




ALSO AVAILABLE IN : NEW

				
Green ELC 201	Blue ELC 202	Orange ELC 203	Black ELC 204	Red ELC 205

HPC 200



FRONT VIEW



PROFILE VIEW



FILM EYES

330 microns - PET

Indoor installation

**Please check direction of film application.
Static version also available on request.**


THE +

HPC 200 is an adhesive film that offers a dual appearance depending on the viewing angle. Viewed from the front, HPC 200 is completely transparent. On the other hand, when viewed from the side, it becomes. Opaque

HPC 100



VISION SANS FILM DE BROUILLAGE



VISION AVEC FILM DE BROUILLAGE



PAR POLARIZATION JAMMING FILM

180 microns - PET

Indoor installation

For installation on glass partitions, windows...

THE +

This revolutionary film will keep all your data safe from prying eyes (depending on the screen technology used).

Apply to office glass surfaces.



ARF 100



ANTI-REFLECTIVE FILM

100 microns - PET crystal
Indoor installation

THE +

ARF 100 is an anti-reflective film that reduces or even eliminates unsightly natural reflections.

SCR 360



REAR PROJECTION FILM

100 microns - PET
Outdoor installation

THE +

Rear projection film is an adhesive film that can turn any window into a display screen. It provides a visible image on both sides of the glass, which reverts to transparency once the projector is switched off.






AUTOMOTIVE FILM

TINTED FILM

Our adhesive films for vehicle windows reduce light and lower interior heat, offering optimum comfort and a touch of discretion on your journeys.



FOTO 200



PHOTOCHROMIC LIGHT TRANSITION


Clear / tinted

75 microns - PET crystal

Indoor installation

20-50% VISIBLE LIGHT TRANSMISSION

FOTO 450



PHOTOCHROMIC LIGHT TRANSITION

Clear / tinted

75 microns - PET crystal


Indoor installation

45-75% VISIBLE LIGHT TRANSMISSION

THEIR ADVANTAGES :

Photochromic films automatically tint according to UV exposure.





AUTO C&S



TINTED

30 microns - PET crystal

Indoor installation

AUTO P



TINTED

60 microns - PET crystal

Indoor installation

AUTO D




MASS TINTED

30 microns - PET crystal

Indoor installation

AUTO EXLB



CERAMICS

60 microns - PET crystal

Indoor installation





gráficaser
comunicació gràfica global

T. 938 861 215
C. Lleida 39
08500 Vic (BCN)
graficser.com

